

SUPREME SLIDE

Instructions

Maintenance:

- Before each use, ascertain that all the fasteners are firmly tightened and all the parts are securely fastened.
- Always wipe the product with a plane, dry cloth regularly and avoid using harsh chemicals.
- Do not discard the spare nuts, screw and key as they can come in handy in future.

Caution:

- · The product must be assembled by an adult only. Keep all the parts out of the reach of kids until the product is fully assembled.
- Always sit upright and go down feet first on the slide. Climbing up the side, sliding down headfirst or in the standing position can be fatal and should be avoided at all costs.
- Abstain kids from jumping off the slide seat.
- · Always place the product on an even surface. Using it on concrete or a rough surface can make it unsteady and may cause injuries.
- Packaging materials are used to safeguard the parts from damage during transportation and should be disposed of once the assembly is complete.
- This product is intended for use by kids over 2 years of age.
- Adult supervision is recommended when kids are using the product.

Warnings:

- · Always assemble on a non-abrasive surface to avoid scratches and make sure there are no sharp objects placed nearby.
- Do not connect any external item (chain, rope or cables) to the product.
- Avoid over-tightening the fasteners as it may cause damage to the parts.

Part Details



Side Panel x 2



Big Slide x 1



Small Slide x 1



9	
Small Slide	1
Step	4
Big Slide Handrail (Left & Right)	2
Small Slide Handrail (Left & Right)	2
Allen Key	1
Allen bolt	3 (1 Spare)
Washer	3 (1 Spare)
Big Nut	12 (2 Spare)
Medium Nut	4 (2 Spare)
Small Nut	18 (2 Spare)
Stud	2
Key	2

No.

2

List of Parts

Side Panel

Big Slide



Big Slide Handrail (Left & Right) x 2



Small Slide Handrail (Left & Right) x 2



Big Nut x 12 (2 Spare)



Stud x 2



Instruction Manual



Medium Nut x 4 (2 Spare)



Small Nut x 18 (2 Spare)



Allen Bolt x 3 (1 Spare)



Washer x 3 (1 Spare)



Kev x 2



Instruction Manual x 1

Model No: 2028

2+
YEARS



Before starting the assembly, please ensure that the part quantity matches the numbers listed in the manual. If you find any discrepancies in the part count or encounter any product-related issues, feel free to reach out to us at +918221001033 or connect with us via WhatsApp in between 9:30-6PM, Monday to Saturday. We're here to assist you!



For details of BIS certification please visit www.bis.gov.in



Take a big left slide handrail and the big slide. Align the threaded pins underside the From the underside of the slide, place a big left handrail with the holes along the edge of the big slide and push the handrail nut onto the end of each threaded pin downwards, ensuring each of the threaded pins of the subassembly enters the and tighten all the five nuts one by one, corresponding hole on the slide handrail.

Note: Make sure that the big left handrail is positioned correctly with its mounting handrail together. hole oriented at the bottom as shown in the images above

securing both the big slide and big

Similarly, fasten the other big right handrail to the big slide.

Turn them face down.



Take a small left handrail and the small slide. Align the threaded pins underside the From the underside of the slide, place a small left handrail with the holes along the left side of the small slide and push the nut onto the end of each threaded pin handrail downwards, ensuring each of the threaded pins of the small left handrail and tighten all the three nuts one by enters the corresponding hole on the slide.

Note: Make sure that the small left handrail is positioned correctly with its small handrail together. mounting hole oriented at the top as shown in the images above.




one, securing both the small slide and

Similarly, fasten the small right handrail to the small slide.

Turn them face down.








Take the big slide subassembly (step 1) and the small slide subassembly (step 2) and turn them face down. Next, align their screw holes making sure the small slide screw holes are over the screw holes of the big slide.


 $Additionally, do \ make \ sure \ that \ the \ mounting \ holes \ of \ the \ big \ and \ small \ handrails \ are \ also \ in \ perfect \ alignment \ with \ each \ other.$









Put a washer onto both the allen bolts and insert one allen bolt (with washer) into each aligned screw holes of the subassembly (step 3). Tighten both the allen bolts one by one with an allen key provided in the packaging.




- A. From the inner side of the slide subassembly, insert a stud into the aligned mounting holes as shown in the image.
- B. From the outer side, place a medium nut on the end of the stud and tighten the nut with the key.
- C. Repeat steps (A) and (B) on the other side of the subassembly to securely fasten both slide subassemblies together.



Take the left panel and all the four steps from the packaging, and secure each step to the side panel with a big nut as shown in the images above.



Take the slide subassembly (assembled in step 4), align its threaded pin on its edge (at the top) with the designated hole on the subassembly (step 5) and secure both together with a big nut.



Take the other side panel from the packaging and secure it to the subassembly (assembled in the previous step) with five big nuts.

Your Slide Supreme is now ready for use! Let the fun begin!